




ELEA C

ONICE C



GRUPO CONSULTOR EN EXPOSICIONES




ELEA C




ELEA C POLYANE

ART. **ONICE C**




ONICE C




ONICE C POLYANE

COLORI / COLOURS




270 nero **MEX** 202 antracite 208 grigio **MEX** 240 ferro



215 fumo 242 cenere 262 caligine 232 nuvola



213 cacao 214 mogano 206 castoro 272 beige **MEX**




245 tuareg 246 duna 223 sabbia 248 lama



228 uva 233 prugna 200 ribes 236 lavanda **MEX**



222 fucsia 239 lampone 254 magenta **MEX** 212 confetto




261 terra

210 aragosta

263 papaya

252 arancio **MEX**



264 zucca

268 grano

269 sole

266 giallo **MEX**



211 blu **MEX**

256 notte

227 volturmo

278 zaffiro



279 marina

265 caraibi **MEX**

281 elettrico

282 celeste




294 bosco

274 erica

267 mela **MEX**

295 cedro




273 prato

287 muschio

286 campestre

288 pistacchio



251 teatro

249 bordeaux

289 cardinale

293 amarena



283 rubino

271 rosso

296 vermiglio **MEX**

277 fiamma



299 petrolio

258 abisso

204 nautica

259 cielo **MEX**



290 nilo

205 atollo **MEX**

207 maldiva

203 jeans **MEX**




280 bianco **MEX**

225 ghiaccio

217 camomilla

255 peonia



253 egeo

235 bebè

234 salvia

238 offwhite

ART. **ELEA C**



 **ESPECIFICACIONES
TÉCNICAS**

Composición: 100% polipropileno

Soporte: Látex sintético de impregnación total

Peso total: 300 gr/mq $\pm$ 10%

Espesor: 2,2 mm $\pm$ 10%

Resistencia al fuego: Bfl-S1 

Dimensiones del rollo: ancho 2 m (3-4 mt bajo pedido), longitud l.m. 50.

Uso: montajes temporales, ferias, exposiciones, congresos, exposiciones en general.

Nota: La tonalidad de los colores puede variar de un lote a otro, como es habitual en el sector textil. No se reconocen los defectos aparentes después de la instalación.

 **TECHNICAL
SPECIFICATIONS**

Composition: 100% polypropylene

Cohesion base: synthetic latex

Total weight: 620 gr/sqm $\pm$ 10%

Thickness: 2,2 mm $\pm$ 10%

Resistance against flame: BFL-S1 

Rolls size:
width m 2 (m 1 and m 4 upon request)
length l.m. 50

Uses:
temporary exhibitions, shows, fairs, meetings

Colours upon request:
for quantity over 3000 sqm we produce colours upon request

N.B.
Colour tonality can change from lot to lot, according to the usage of the textile sector.
Eventual defects, which could arise after laying are not recognized.

ART. **ONICE C**



 **ESPECIFICACIONES
TÉCNICAS**

Composición: 100% polipropileno

Soporte: Látex sintético de impregnación total

Peso total: 320 gr/mq $\pm$ 10%

Espesor: 2,5 mm $\pm$ 10%

Resistencia al fuego: Bfl-S1 

Dimensiones del rollo: ancho 2 m (3-4 mt bajo pedido), longitud l.m. 50.

Uso: montajes temporales, ferias, exposiciones, congresos, exposiciones en general.

Nota: La tonalidad de los colores puede variar de un lote a otro, como es habitual en el sector textil. No se reconocen los defectos aparentes después de la instalación.

 **TECHNICAL
SPECIFICATIONS**

Composition: 100% polypropylene

Cohesion base: synthetic latex

Total weight: 320 gr/sqm $\pm$ 10%

Thickness: 2,5 mm $\pm$ 10%

Resistance against flame: BFL-S1 

Rolls size:
width m 2 (m 3 and m 4 upon request)
length l.m. 50

Uses:
temporary exhibitions, shows, fairs, meetings

Colours upon request:
for quantity over 3000 sqm we produce colours upon request

N.B.
Colour tonality can change from lot to lot, according to the usage of the textile sector.
Eventual defects, which could arise after laying are not recognized.

MADE IN ITALY



GRUPO CONSULTOR EN EXPOSICIONES

Rancho Viejo 5 parte baja, esquina Camino a Santiago
Tepatlxco C.p. 53216
Santiago Tepatlxco Edo.de Mex - Naucalpan
Tel: +55 3094 0356
ventas@grupogce.com